



**D3034-1 BEARPAW**



**D3034-3 BEARPAW**

**RELEASED**  
2012-07-05

B	UPDATE FORMAT; ADD D3034-3; UPDATE NOTE 1 AND ADDED NOTES 8 & 9 (SHEETS 2 & 3)	AP	12.04.13
A	NEW ISSUE	CP	01.06.21
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	AP		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3034	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BEARPAW	NTS
DATE	12.04.13	<small>COPYRIGHT © 2001 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	




**D3034-1 BEARPAW**

- NOTES:**
- 1) MATERIAL: UHMW BLACK TIVAR 1000 VIRGIN MATERIAL, 1.000 THICK MACHINED TO 0.950 (REF DART SPEC. MUHMB10)
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: ENGRAVE PART NUMBER "D3034-1" AND BATCH NUMBER "BXXXXX" IN ACCORDANCE WITH QSI 044 METHOD 6.3
  - 7) WEIGHT: 7.56 lbs
  - 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.012
  - 9) APPLY 0.06 X 45° CHAMFER TO ALL EDGES ON SIDE SHOWN UNLESS OTHERWISE INDICATED
  - 10) PROFILE PER DRAWING FILE "D3034-1-REVB.STP"

DESIGN	AP	<b>DART AEROSPACE USA, INC.</b>	
DRAWN	AP	KENT, WA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3034	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BEARPAW	NTS
DATE	12.04.13	COPYRIGHT © 2001 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

**RELEASED**  
2012-07-05



**NOTES:**

- 1) MATERIAL: UHMW BLACK TIVAR 1000 VIRGIN MATERIAL, 1.000 THICK MACHINED TO 0.950 (REF DART SPEC. MUHMB10)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART NUMBER "D3034-3" AND BATCH NUMBER "BXXXXX" IN ACCORDANCE WITH QSI 044 METHOD 6.3
- 7) WEIGHT: 8.29 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.012
- 9) APPLY 0.06 x 45° CHAMFER TO ALL EDGES ON SIDE SHOWN UNLESS OTHERWISE INDICATED
- 10) PROFILE PER DRAWING FILE "D3034-3-REVB.STP"

DESIGN	AP	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	AP		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3034	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BEARPAW	NTS
DATE	12.04.13	COPYRIGHT © 2001 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

**RELEASED**  
2012-07-05